## **Honeywell** | Mobile Computers

# Dolphin 6510

### Mobile Computer

The lightweight and versatile Honeywell Dolphin<sup>™</sup> 6510 mobile computer provides advanced data collection and real-time wireless communication for in-premise applications in retail, supply chain and light-industrial environments.

Integrated 802.11 a/b/g/n wireless connectivity provides users with access to critical data throughout the enterprise, while Bluetooth® connectivity facilitates efficient wireless connection to peripheral devices. Advanced security protocols enhance data security.

Its ergonomic form factor features a tapered keypad that fits easily in any user's hand. A large color touchscreen display allows users to see more of an application on a single screen, enhancing the user experience for touchscreen-based graphical applications. Multiple keypad options – 28-key numeric and 52-key full alphanumeric – are available to meet application requirements and user preference.

Built to withstand harsh conditions, the IP54-rated Dolphin 6510 mobile computer can endure exposure to dust, dirt and splashing water, as well as accidental drops from distances as high as 1.2 meters (4 feet). The reliable Dolphin 6510 mobile computer even sustains up to 500 tumbles from 1 meter (3.3 feet).

Shift-PLUS™ power management technology provides 10 or more hours of continuous use, minimizing the need to replace the battery during a single shift.

Powered by Adaptus™ 6.0 imaging technology, the Dolphin 6510 mobile computer delivers the broadest suite of advanced data capture capabilities, including 2D barcode scanning, digital image capture and intelligent signature capture, allowing users to increase efficiency and improve customer service.

The Dolphin 6510 mobile computer offers an optimal blend of performance and reliability, delivering a rapid return on investment for mobile workers operating within the four walls.



The Dolphin 6510 mobile computer delivers advanced data capture and real-time wireless communication for retail, supply chain and light-industrial environments.

### FEATURES & BENEFITS



Large color touchscreen display and multiple keypad options offer easy, flexible solutions to meet key- or graphics-based data entry requirements.



Advanced integrated 802.11 a/b/g/n and Bluetooth technology deliver real-time network access to critical information and support advanced wireless security standards.



Class-leading 1 GHz microprocessor supports the Microsoft\* Windows\* CE 6.0 platform.



Powers scan-intensive, real-time wireless applications continuously for 10 hours or more, enhancing productivity while greatly extending useful battery life and reducing replacement costs.



Provides a productivityenhancing solution for applications that require high-volume scanning such as inventory management and stock replenishment.

### **Dolphin 6510** Technical Specifications

#### **MECHANICAL**

Dimensions (Lx W x H):

With Standard Battery: 200 mm x 83 mm x 41 mm

(7.9 in x 3.3 in x 1.6 in)

With Extended Battery:  $200 \text{ mm} \times 83 \text{ mm} \times 44 \text{ mm}$   $(7.9 \text{ in} \times 3.3 \text{ in} \times 1.7 \text{ in})$  – includes handstrap

At Grip: 61 mm (2.4 in)

Weight:

With Standard Battery: 349 g (12.3 oz) With Extended Battery: 377 g (13.3 oz)

– includes handstrap

**ENVIRONMENTAL** 

Operating Temperature: -10°C to 50°C

(14°F to 122°F)

Storage Temperature: -20°C to 70°C

(-4°F to 158°F)

**Humidity:** 95% humidity, non-condensing **Drop:** Withstands multiple 1.2 m (4 ft) drops to

concrete, all axis and across operating

temperature range

**Tumble:** 500 1 m (3.3 ft) tumbles (1,000 impacts)

ESD: Air: ±15kV; Contact: ±8kV

**Environmental Sealing:** Independently certified to meet IP54 standards for moisture and particle

resistance

SYSTEM ARCHITECTURE

Processor: Texas Instruments OMAP3715 1 GHz Operating System: Microsoft Windows CE 6.0 Memory: 512 MB RAM; 1024 MB Flash Display: 8.89 cm (3.5 in) active matrix 65,000-color LCD with backlight, QVGA (240 x 320)

**Keypad:** 28-key numeric with shifted alpha and backlit keys; 52-key full alphanumeric with

backlit keys

Audio: Built-in microphone and speaker, stereo

headset jack

I/O Ports: High-speed USB v2.0 (480 Mbps) Voice Communication: Voice-over-IP and

Push-to-Talk ready

**Application Software:** Honeywell Power Tools

and Demos

**Storage Expansion:** User-accessible SDHC memory card slot. Please check current price guide

for available qualified card options

Battery: Li-lon 3.7V, 3300mAh (12.2Wh)
Expected Hours of Operation: 12 hours
Expected Charge Time: Less than 6 hours
Imager/Scanner: Imager: 5600 (LED Aimer) and

5603 (Laser Aimer) Extended Range (ER), Standard Range (SR), High Density (HD); Adaptus 6.0

imaging technology

**Decode Capabilities:** Imager reads standard 1D

and 2D symbologies

Warranty: One-year for terminals and peripherals

LASER LIGHT. DO NOT STARE INTO BEAM CLASS 2 LASER PRODUCT 1.0 mW MAX OUTPUT: 650nM IEC 60825-1 Ed 2 (2007). Complies with 21 CFR 1040.10 and 1040.11 except for deviations pursuant to Laser Notice No. 50, dated June 24, 2007.

For a complete listing of all compliance approvals and certifications, please visit www.honeywellaidc.com/compliance.

For a complete listing of all supported barcode symbologies, please visit www.honeywellaidc.com/symbologies.

Dolphin and Adaptus are registered trademarks or trademarks of Honeywell International Inc. in the U.S. and/or other countries.

Bluetooth is a registered trademark or trademark of Bluetooth SIG, Inc. in the U.S. and/or other countries.

Microsoft and Windows are either registered trademarks or trademarks of Microsoft Corporation in the U.S. and/or other countries

### For more information

www.honeywellaidc.com

#### **Honeywell Sensing and Productivity Solutions**

9680 Old Bailes Road Fort Mill, SC 29707 800-582-4263 www.honeywell.com

